

Full View Overhead Door

Sectional Overhead Doors That Let the Light In



Full Visibility While Keeping the Weather Out

Perfect for car dealerships, auto garages, fire stations, and modern work spaces, aluminum / glass garage doors or full view sectional doors blend high visibility, contemporary style, and practical beauty all into one. They are low maintenance and weather resistant.

You can choose a variety of glass panel options for your aluminum and glass door, including glass alternatives like Lexan® and Plexiglas for strength or shatter resistance. You can also outfit your see through sectional door with a variety of color and style options for the trim, to achieve anything from a warm feel to an industrial theme.

>> High Visibility

>> Let Natural Lighting in

>> Style and Color Options to Match Any Space

>> Insulation Options

>> Push-up, Chain Hoist, or Motorized

AmericanDoor.com
(631) 586-8006 (718) 895-6136

9 LUCON DR, DEER PARK, NY 11729

Specialty Glass Options:

Laminated White	Privacy
Low E Glass	Thermal efficiency
Tempered Glass	Enhanced Safety
Tinted	Color options: Green Grey Bronze

Glass Alternatives:

Clear Lexan® Polycarbonate	Shatter resistance
Multi Wall Polycarbonate	Strength and UV protection Color Options: Clear White Bronze
Plexiglas Acrylic	Shatter resistance
Impact Clear and Frosted Polycarbonate	.25" thickness minimum

Glass Finishes:



Double-Strength DSB (Standard)



Obscure



Satin Etched




Grey Tint



Green Tint



Bronze Tint



Impacted Frosted Polycarbonate


Standard Powder Coat Options:



Operational Options:



Push-up: For light doors. Easy on the pocketbook.



Chain Hoist: Manual assistance for heavier panel



Electric Motor: Convenience and ease of use.



AmericanDoor.com
(631) 586-8006 (718) 895-6136

9 LUCON DR, DEER PARK, NY 11729



STANDARD FEATURES OVERVIEW

CONSTRUCTION

MAX HEIGHT	16'1" (4.9 meters)
MAX WIDTH	26'2" (8 meters)
MOUNTING	2" (51mm) Track, Angle
OPERATION	Manual Lift-Up, Motorized
FRAME	6063-T6 or 6061-T6 Aluminum
SECTION THICKNESS	1 3/8" - 1 3/4"
HINGES	Galvanized Steel.
LOCKING OPTIONS	Interior-mounted Side Lock, Key lock, and Interlock for Motorized Units.
WEATHER STRIPPING	Optional Flexible PVC Jamb and Header Seals
SPRINGS	10k, 25k, 50k, and 100k Cycles
WARRANTY	1-Year limited Warranty

OTHER OPTIONS:

Insulated Rail and Stiles; Anodized Bronze, Clear, or Black Aluminum; Wind Load Options up to 30 psf; Glass can be Annealed, Tempered, Wire, Laminate, Acrylic, or Polycarbonate; Pass Door; Exhaust Ports

Some Safety and Security Systems Options for Motorized Doors:

Photo Eye

Detects people and vehicles passing the eye

Safety Edge

Detects the door closing on an object

Timer

Scheduled operation of the door

Radio Remote

Remotely operate the door

Push Button Control

Station to control the door

Key Switch Control

Restricted access control

Horn

Alerts bystanders that door is in operation

Strobe Light

Alerts bystanders that door is in operation


In-Ground Loop

Senses vehicles approaching


Key Card

Electronic card access

Track Mounting Options:




Standard Lift




Roof Pitch
Standard or High Lift.




High Lift
Break-away is standard. Straight incline is available.



Vertical Lift
Break-away is standard. Straight incline is available.



Low Headroom
Rear mount torsion



Low Headroom
Front mount torsion



AmericanDoor.com
(631) 586-8006 (718) 895-6136

9 LUCON DR, DEER PARK, NY 11729

