


# M O D E L 8800


#### **CONTEMPORARY ALUMINUM**







### **Select the Platform**


#### Standard Frames








9'-12' Wide (3 panel)




Over 12' Wide (4 panel)

#### **Double-wide Frames**



8' Wide (2 panel)\* 9'-12' Wide (3 panel)



Over 12' Wide (4 panel)

Due to the weight of this door, it is only offered in the Double-wide frame.

18' Wide (5 panel)\*\*

Panel spacing drawings shown are for illustrative purposes only and do not reflect actual stile and rail dimensions. If 6" frame is ordered, other doors must be ordered from that grouping to match and may incur an additional upcharge. See dealer for details.

\*\*4-panel wide is optional for 18' wide doors.

If you are ordering a 16'3" or wider door as well as a single door, check with your dealer to ensure that the door frames match.

<sup>\*2</sup> panel wide is optional for 9' doors.



# 2 Choose your Color

#### **Anodized Finishes**








Bronze



Black

#### **Powder Coat Finishes**



White



Dark Bronze



Black

#### **RAL Powder Coat Finishes**

Select from approximately 200 powder coat color options to best match your home.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Wayne Dalton dealer for accurate color matching.



## **3** Choose your Glass



1/8" Clear Glass



Green Tinted



**Gray Tinted** 



**Bronze Tinted** 



Satin Etched



White Laminated



Obscure

Custom glass also available. See dealer for details. Most panel styles are also available in both single pane and insulated configurations.

# stylish. colorful.

Wayne Dalton Contemporary

Aluminum doors, constructed with
a rugged, anodized aluminum

frame, feature equal panel spacing

for a clean modern look.

# contemporary.


#### **PERFORMANCE FEATURES**

- Tongue-and-groove joints provide a great weather barrier
- Flexible vinyl bottom seal helps prevent dirt and elements from entering your garage
- Choose a 25,000 cycle spring for almost twice the life of a standard torsion spring
  - Reinforcing fins on all top sections and as needed on intermediate sections, provide years
    of smooth, trouble-free operation. (The fins are the extruded part of the door section that
    are not visible through the glass)



Aluminum rails and stiles are designed with non-beveled edges and straight lines to create a true contemporary style.






Optional polyurethane insulation adds R-value\* of up to 4.36.

R-VALUES OF INSULATED 8800	9X7 DOOR	16X7 DOOR	9X8 DOOR	16X8 DOOR
1/2" insulated glass Solar Ban 70XL argon filled (R=3.125)	4.36	4.36	4.23	4.23
1/2" insulated glass (R=1.75) with polyurethane filled rails and stiles	3.18	3.17	3.02	3.02
1/2" insulated glass Low E (R=2.38) with polyurethane filled rails and stiles	3.73	3.71	3.59	3.58



Model 8800 offers a five-year limited warranty on the aluminum and one-year limited warranty on the glass. See full text of warranty for details.

<sup>\*</sup> Wayne Dalton uses a calculated door section R-value for our insulated doors.





# **Garage Door Design Center**

To see this door on your home, visit wayne-dalton.com, or download our app, and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



**DISTRIBUTED BY:** 

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













